



ABSTRACT

Disaster Management - Immediate restoration works and immediate search and rescue operations carried out for maintaining and uninterrupted power supply to Government buildings affected due to Gaja cyclonic storm – Sanction a sum of Rs.36,93,650/- (Rs.21,64,950/- for Naapattinam District and Rs.15,28,700/- for Tiruvarur District – Revalidation – Orders – Issued.

REVENUE AND DISASTER MANAGEMENT [D.M.II] DEPARTMENT

G.O. (Ms) No.457

Dated 03.09.2020

சார்வரி-ஆவணி 18,
திருவள்ளூர் ஆண்டு, 2051

Read:

1. G.O.(Ms) No.380, Revenue and Disaster Management [D.M.III(2)] Department, Dated 27.10.2015.
2. G.O.Ms.No.458, Revenue and Disaster Management (DM II) Department, Dated: 20.11.2018.
3. From the Additional Chief Secretary / Commissioner of Revenue Administration State Relief Commissioner's proceeding No.NC(1)/2675/2018 dated: 21.11.2018.
4. From the Engineer-in-Chief (Buildings) and Chief Engineer (Buildings) Chennai region, Public Works Department, Letter No.B1/60100/2018-19, Dated 22.07.2019.
5. From the Engineer-in-Chief (Buildings) and Chief Engineer (Buildings) Chennai region, Public Works Department, letter No.AEE/T8/16724/2018, Dated 06.02.2020.
6. From the Principal Secretary/ Commissioner of Revenue Administration letter No.NC.I(2)/2675/2018, dated 04.03.2020.

ORDER:

In the Government Order second read above, the Government have sanctioned a sum of Rs.1000 crore from the State Disaster Response Fund to the District Collectors and various line departments for carrying out the relief and restoration measures caused due to cyclonic storm "Gaja". In the above sanctioned amount, a sum of Rs.10.00 crores apportioned for Public Works Department (Buildings) towards assistance for immediate repair and restoration of damages of Government office buildings.

2. The Additional Chief Secretary / Commissioner of Revenue Administrations and State Relief Commissioner in his Proceedings third read above has authorized the Chief Engineer (Buildings), Public Works Department to draw and disburse an amount of Rs.10.00 Crore towards the restoration works carried out for the damages in

Government Buildings like Collectorate complex, circuit houses, Government office buildings and schools caused due to Gaja Cyclonic storm.

3. Accordingly, the Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings), Chennai Region has informed that out of the allotted amount of Rs.10.00 crore, an amount of Rs. 5.13 Crores was disbursed for the restoration works through the Executive Engineers of respective Districts affected by Gaja Cyclone. He has furnished necessary Utilization Certificate for the financial year 2018-2019 as detailed below:-

G.O.Ms.No.458, Revenue and Disaster Management Department (DM II) Dated: 20.11.2018		
Total Allotment (amount in Lakhs)	Total Expenditure (amount in Lakhs)	Balance (amount in Lakhs)
1000.00	513.28	486.72

4. The Principal Secretary/ Commissioner of Revenue Administration has further stated that the Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings) Chennai Region, Public Works Department has sent the following detailed Estimates received from the Chief Engineer (B), Public Works Department, Tiruchirappalli region, Tiruchirappalli and the Executive Engineer, Public Works Department, Electrical Division, Tiruchirappalli stating that the reason for delayed submission of the estimate is concerned Junior Engineer, Public Works Department, Nagapattinam and Junior Engineer, Public Works Department, Thiruvarur were involved to look after the Parliamentary Election held in their jurisdiction and at the same time the restoration work affected by the cyclone also completed in all respected Districts.

Nagapattinam

Sl. No.	Name of Work	Estimate Amount
1	Providing temporary generator set arrangements due to Gaja Cyclone in I.B and Collector office at Nagapattinam in Nagapattinam District.	Rs.2,11,340/-
2	Providing temporary generator operator arrangements due to Gaja Cyclone in in I.B and Collector office at Nagapattinam in Nagapattinam District.	Rs.66,600/-
3	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Therkunallur, Kallimedu, Kovilpathu, Vellapallam and Thalainayar in Nagapattinam district.	Rs.1,31,000/-
4	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Kaveripoompattinam, Cinnakudi and Akkur in Nagapattinam district.	Rs.75,600/-
5	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Thevur, Kurukkathi, Killukuddi, Anthakudi and Kivelur in Nagapattinam district.	Rs.1,20,000/-

6	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Sithaimoor in Nagapattinam district.	Rs.26,200/-
7	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Sithaimoor in Nagapattinam district.	Rs.26,000/-
8	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Maruthur north, Thanikottam, Panjanathikulam (E) and Katharipuram in Nagapattinam district.	Rs.1,22,300/-
9	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in Sub Collector Office (RDO), PA(G) Court building, Collector Bungalow and Collector Camp Office at Nagapattinam in Nagapattinam District.	Rs.1,53,100/-
10.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Elangakadambanur, Poigainanallur north, Vaduvur, Kurinji in Nagapattinam District.	Rs.1,21,000/-
11.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Kalasambadi, Akkaraipettai, Thirupoondi and Thirukkuvalai in Nagapattinam District.	Rs.1,22,200/-
12.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Ayakkaranpulam (G), Thirumarugal (G), Naluvergapathi and Gnanapathipuram in Nagapattinam District.	Rs.1,19,000/-
13.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Seruthur, Garamathumedu, Villuthamavadi (G) and Villuthamavadi (B) in Nagapattinam District.	Rs.1,17,000/-
14.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Sarapojirajipuram, Thoopputhurai, Kodyakkarai and Prathapapuram in Nagapattinam District.	Rs.1,19,600/-
15.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Vedaranyam (G), Thuthakudi, Kodyakkarai, Prathapapuram in Nagapattinam District.	Rs.1,19,500/-
16.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Papakkovil, Maruthur (S), Kariyapattinam and Thirumarugal in Nagapattinam District.	Rs.1,13,400/-
17.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Vettaikaraniruppu, Vedharanyam and Kovilkullam (B) in Nagapattinam District.	Rs.92,000/-

18.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Muttam, Ettukudi, Keelaiyur and Palakuruchi in Nagapattinam District.	Rs.1,04,110/-
19.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Karuppampulam, Ayyakaranpulam, Moondramsethi, Ayyakaranpulam (G) (road opp. Side) and Ayyakarapulam (B) in Nagapattinam District.	Rs.1,07,000/-
20.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Kuthur (B), Kuthur (G), Palaiyur, Manarkudi (G) and Manarkudi (B) in Nagapattinam District.	Rs.98,000/-
Total		21,64,950/-

Tiruvarur

Sl. No.	Name of Work	Estimate Amount
1.	Providing temporary generator set arrangements due to Gaja Cyclone in the Circuit House at Thiruvarur in Thiruvarur district.	Rs.1,71,400/-
2.	Providing temporary generator set arrangements due to Gaja Cyclone in the Marketing sales Godown at Thiruvarur in Thiruvarur district.	Rs.1,85,100/-
3.	Providing temporary generator set arrangements due to Gaja Cyclone in the Old IB and Existing IB at Mannargudi in Thiruvarur district.	Rs.2,01,800/-
4.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in RDO office, Judge Quarters, Thiruthuraipondi, DSO Office at Thiruthuraipondi, Sub Registrar Office at Thiruthuraipondi, Sub Treasury at Mannargudi, Sub Treasury at Thiruthuraipondi, Taluk Office at Thiruthuraipondi and IB at Mannargudi (Water Tank service) at Thiruvarur Section in Thiruvarur district	Rs.1,18,000/-
5.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in Vatter GHSS, Vilakudi GHSS, Thiruthuraipondi GHSS, Thalaikudi GHSS, Kattimedu GHSS, Idumbavanam GHSS, Katchanam GHSS, Manali GHSS, Thondiakkadu GHSS, & Puthagaram GHSS, at Thiruvarur section in Thiruvarur district.	Rs.1,17,100/-

6.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in Pandi GHSS, Bamani GHSS, Muthupettai GHSS, Nedunkulum GHSS, Kelavadiyakadu GHSS, Jambavanodai GHSS, Alathambadi GHSS, Alankadu GHSS, and Vikkirapandiyam GHSS, (B) at Thiruvarur section in Thiruvarur district.	Rs.1,05,100/-
7.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS in Vikarapandiyam, Mannargudi (G), Manargudi (B) and Ullikkottai at Thiruvarur section in Thiruvarur district.	Rs.1,27,800/-
8.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Paravakkottai, Mahadevapattinam, Rathanarasimapuram and Peruhavalthan at Thiruvarur section in Thiruvarur district.	Rs.1,29,900/-
9.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in RDO office Mannargudi, Taluk office Mannargudi, JM1 court and JM2 court Mannargudi at Thiruvarur District.	Rs.1,35,000/-
10.	Labour supply for EB supply Restored works at GHSS Pulivalam Mangudi, Thirunnaiper, Vadakarai and Seruvamani at Thiruvarur in Thiruvarur district.	Rs.9400/-
11.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS at Kuthanallur, Pothakudi, Srivangiyam and Kotthagudi, Quality control office and PWD Electrical Sub Division at Thiruvarur District.	Rs.1,16,000/-
12.	Restoration and Renewal by supply and run of service mains damaged due to Gaja Cyclone in GHSS in Vadapathimangalam, Thulasiyapuram, Pothagudi, Tannerkunnam and Kuthanallur (G) at Thiruvarur in Thiruvarur District.	Rs.1,12,100/-
Total		15,28,700/-

5. The Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings) Chennai Region, Public Works Department has further stated that the above Estimates have been prepared by adopting Schedule of rates for the year 2019–2020 and local market Rates for non–scheduled items and the total estimate cost works out to **Rs.21,64,950/-** for the year 2019–2020 for Nagappattinam District and **Rs.15,28,700/-** for Tiruvarur District. The report accompanying the estimates explains the need and necessary provisions made in the estimates and he has requested that necessary financial Sanction for the above works to sanction a sum of Rs.36,93,650/- (Rs.21,64,950 for Nagapattinam District and Rs.15,28,700 for Tiruvarur District) (Rupees Thirty Six lakhs Ninety Three thousand six hundred and fifty only) from the State Disaster Response Fund (SDRF).

6. The Principal Secretary/ Commissioner of Revenue Administration has also stated that the above proposal of the Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings), Chennai Region has been examined with in G.O.(Ms) No.380, Revenue Department, Dated 27.10.2015 is covered under State Disaster Response Fund norms.

7. The Principal Secretary/Commissioner of Revenue Administration has therefore requested the orders of the Government to revalidate the G.O.Ms.No.458, Revenue and Disaster Management Department (DM II) Dated: 20.11.2018 to draw a sum of Rs.36,93,650/- (Rupees Thirty six lakhs Ninety three thousand Six hundred and fifty only) (Rs.21,64,950 for Nagapattinam District and Rs.15,28,700 for Tiruvarur District) towards the immediate restoration works and immediate search and rescue operations carried out for maintaining and uninterrupted power supply to Government buildings affected due to Gaja cyclonic storm.

8. The Government after careful examination, accept the proposal of the Principal Secretary / Commissioner of Revenue Administration and based on the approval of the State Executive Committee authorize the Principal Secretary / Commissioner of Revenue Administration to release an amount of Rs.36,93,650/- (Rupees Thirty six lakhs Ninety three thousand Six hundred and fifty only) (Rs.21,64,950 for Nagapattinam District and Rs.15,28,700 for Tiruvarur District) (sanctioned in the Government Order second read above) towards the immediate restoration works and immediate search and rescue operations carried out for maintaining and uninterrupted power supply to Government buildings affected due to Gaja cyclonic storm.

9. The expenditure sanctioned in paragraph 8 shall be debited to the following head of account:-

"2245-Relief on account of Natural Calamities - 02-Floods, Cyclones etc. - 107-Repairs and restoration of damaged Government Office Buildings-State's Expenditure - AA-Assistance for Repairs and Restoration of Damaged Government Office Buildings - 317-Minor Works – 01-Minor Works. (IFHRMS D.P.C. : 2245-02-107-AA-31701) (Old DPC 2245-02-107-AA-1708)".

10. Necessary additional funds of Rs.36,93,650/- will be provided in Revised Estimate / Final Modified Appropriation 2020-21. Pending provision of such funds, the Principal Secretary/ Commissioner of Revenue Administration is authorized to draw and disburse the amount. The expenditure shall be brought to the notice of Legislature by specific inclusion in Supplementary Estimate 2020-21. The Principal Secretary/ Commissioner of Revenue Administration is directed to send necessary proposal for inclusion of this expenditure in Revised Estimate 2020-21 and also send necessary draft explanatory note for specific inclusion in the Supplementary Estimate 2020-21 to Finance (BG-I/Revenue) Department without fail at an appropriate time.

11. This order issues with the concurrence of Finance Department vide its UO.No.270/DS(B)/Finance(Revenue)/2020, dated 27.08.2020 with Additional Sanction Ledger No.417 (Four hundred and seventeen).

(By order of the Governor)

**ATULYA MISRA
ADDITIONAL CHIEF SECRETARY TO GOVERNMENT.**

To

✓ The Principal Secretary and Commissioner of
Revenue Administration, Chepauk, Chennai-600 005.

The Commissioner, Disaster Management,
Tamil Nadu Disaster Risk Reduction Agency,
Chepauk, Chennai-600005.

The Accountant General, Chennai-600 018.

The Pay and Accounts Officer (East/South/North),
Chennai - 600 008/600 035/600 001.

The Treasury Officer,
Nagapattinam / Tiruvarur District.

Copy to:

The Additional Chief Secretary to Government,
Home, Prohibition and Excise Department, Chennai-600 009.

The Additional Chief Secretary to Government,
Finance Department, Chennai - 600 009

The Principal Secretary, Public Works Department, Chennai-600 009.

The Principal Secretary, Highways and Minor Port Department, Chennai-600 009.

The Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings) Chennai Region,
Public Works Department, Chennai-600 005.

The Principal Private Secretary to Additional Chief Secretary
to Government, Revenue and Disaster Management
Department, Chennai-600 009.

The Finance (Revenue/BG-I/BG-II/W&M-1) Department,
Chennai -600 009.

SF/SC.

// Forwarded by Order //

M. P. Prasad
03/09/2020
Section Officer

